FORM B.

Return showing the description and weight of all yarn spun in the Cotton Mills in the Mysore State during the month ending September 1939

Count of yarn	Weight in pounds of each count	Count of yarn	Weight in pounds of each count	Count of yarn	Weight in pounds of each count
2s 4s 6½s 8s 8½s 10s 10½s 11½s 11½s 11½s 12½s 12½s 13½s 14½s 14½s 14½s 15s 16s	2,936 3,961 61,641 31,089 162,669 851 152,617 37,063 12,313 33,444 89,963 13,215 37,720 95,813 20,281 42,059	16½s 18 ⁵ 19 ⁵ 20 ⁵ 20½s 20½s 21½s 22½s 22½s 24 ⁵ 26³ 27 ⁵ 28 ⁵ 28 ⁵ 30 ⁵ 36 ⁵ 36 ⁵ 38 ⁵ 40 ⁵	7,537 4,933 90,666 243,899 109,864 120,716 50,285 3,008 83,567 8,425 7,730 11,270 49,519 34,285 75,157 10,015 19,921	42 ^s 44 ^s 50 ^s 60 ^s 66 ^s 80 ^s 100 ^s	30,401 17,190 554 616 32 1,556 12

Bangalore,
Dated 8th November 1939.

V. VENKATACHAR, For Director.

MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE FOR THE WEEK ENDED THURSDAY, NOVEMBER 9, 1939.

A total of 31 attacks with 16 deaths from Plague was returned during the week against 32 attacks with 18 deaths in the previous week. Mysore City and Kolar Gold Field reported 5 attacks with 3 deaths, and 1 attack with 2 deaths respectively while Bangalore City continued to remain free from the disease. Comparative figures for the corresponding week in 1938 and 1937 were 58 attacks with 24 deaths and 87 attacks with 59 deaths, respectively.

A total of 1 attack with nil death from Small-pox was reported from Bangalore City.

The State remained free from Cholera, Influenza and Relapsing fever.

The total mortality for Bangalore City amounted to 117 (22 in hospitals), representing a calculated death-rate of 28.0 (22.7 excluding hospital deaths) per mille of population as against 22.3 for the corresponding week of last year. Classified according to causes, the deaths numbered—2 under Typhoid, 8 under Phthisis, 25 under Dysentery and Diarrhoea and 82 under all other causes. The reported mortality was normal.

During the week, the Civil and Military Station, Bangalore, returned 85 deaths (14 in hospitals), representing a calculated death-rate of 30·1 (25·1 excluding hospital deaths), per mille of population as against 30·1 for the corresponding week of last year. Classified according to causes, the deaths were—Broncho-Pneumonia 4, Pneumonia 4, Typhoid 1, Other Fevers 2, Phthisis 2, Dysentery and Diarrhæa 16, and all other causes 56. The reported mortality was normal.

The total mortality for Mysore City was 63 (13 in hospitals), representing a calculated death-rate of 25'9 (20'5 excluding hospital deaths) per mille of population as against 20'1 for the corresponding week of last year. Classified according to causes, the deaths were—Plague 3, Malaria 2, Other fevers 2, Phthisis 10, Dysentery and Diarrhoea 3, and all other causes 43. The reported mortality was normal.

There were 42 deaths (8 in hospitals), from all causes in Kolar Gold Field Area equivalent to a calculated death-rate of 26.3 (21.3 excluding hospital deaths) per mille of population as against 26.8 for the corresponding week of last year. Classified according to causes, the deaths numbered—2 under Plague, 2 under Malaria, 4 under other Fevers, 1 under Phthisis, 5 under Dysentery and Diarrhoea and 28 under all other causes. The reported mortality was normal.

E. R. SUNDARARAJAN, For Director.